

JAN – JUN, 2020

PBCS Monitoring Report in Fukuoka FIR



Presented by **Fumihiro** Nakabayashi

Network Performance Assessment Center, JCAB



IPACG46/FIT33 15 thru 16 Oct, 2020

Overview




- 1) Reported the results of PBCS performance evaluation every 6 months (January to June 2020) at Fukuoka FIR.
- 2) The contents of the report are as follows.
 - Availability
 - Continuity analysis result for each parameter

Datalink Usage in RJJJ




Amount of Traffic - CPDLC/ADS-C Fukuoka FIR - Jan 2015 to Jun 2020



Datalink Usage in RJJJ







Availability

Availability (January – June 2020)



DSP	Location	Availability(%)	Number of Unplanned Outage	Number of Unplanned Outages > 10min	Accumulated Unplanned Outage Time (min)
	Global	99.99	1	0	1
	MTS1	100.00	0	0	0
SITA	APK1	99.86	1	1	352
	APK2	99.99	1	1	14
	IGW1	99.96	2	2	87
	Global	99.98	1	1	50
	XXP	100.00	0	0	0
ARINC	XXA	99.85	3	3	392
	IG1	99.99	2	2	12
	XXS	99.79	2	2	537
AVICOM	Global	100.00	0	0	0
RCP240/RSP180 C	riteria				
Sat	Safety			48	520
Effic	iency	99.99%		4	52


Unplanned Outages



Start Date	Start Time	Duration (min)	DSP	Service Involved	Location Involved	Reason	Comment (Operational Impact)
2020/01/21	01:00	447	ARINC	I4	XXS	Inmarsat is experiencing a network service degradation	No impact on flight
2020/01/22	00:36	352	SITA	I4	APK1	Unexpected Service Degradation - SATELLITE AIRCOM - Inmarsat Data Services	No impact on flight、Aircraft
2020/01/22	02:00	282	ARINC	I4	XXA	Unexpected Service Degradation - SATELLITE AIRCOM - Inmarsat Data Services	HF voice 84aircrafts
2020/02/06	23:05	50	SITA	Iridium	IGW1	Iridium experienced degraded service on Short Burst Data (SBD)	No impact on flight
2020/02/06	23:43	12	ARINC	Iridium	IG1	Iridium experienced degraded service on Short Burst Data (SBD)	HFvoice 84 aircrafts
2020/02/11	18:06	37	SITA	Iridium	IGW1	SATELLITE AIRCOM - Iridium Datalink ACARS Service	No impact on flight
2020/02/20	14:40	50	ARINC	ARINC	Global	server reset	No impact on flight
2020/02/28	21:45	1	SITA	SITA	Global	SITA/AOC line trouble at 21:45- 21:46.	No impact on flight
2020/03/18	15:52	53	ARINC	I4	XXA	an antenna problem at Paumalu GES	No impact on flight HF voice 10 aircrafts
2020/05/11	17:24	14	SITA	I3	APK2	an antenna problem at Perth GES	No impact on flight
2020/06/10	15:08	57	ARINC	I4	XXA	an antenna problem at Paumalu GES	No impact on flight HF voice 6 aircrafts
2020/06/29	18:06	90	ARINC	I4	XXS	INMARSAT is investigating the fault.	No impact on flight

Accumulated Unplanned Outage






* Safety target for RCP240/RSP180



Observed Performance by Media Type



Observed Performance by Media Type




		RSP180				RCP	240		
Media Type	Count of	ASP		Count of	ACTP		AC	CP	PORT
Турс	ADS-C	95%	99.9%	CPDLC	95%	99.9%	95%	99.9%	95%
Aggregate	1,682,198	98.61%	99.64%	34,547	99.65%	99.75%	99.57%	99.78%	99.26%
SAT	1,299,118	98.47%	99.61%	31,300	99.67%	99.75%	99.59%	99.79%	99.29%
VHF	383,080	99.09%	99.73%	3,036	99.77%	99.90%	99.74%	99.87%	99.28%
SAT/VHF				118	96.61%	97.46%	94.92%	96.61%	94.62%
VHF/SAT				93	91.40%	96.77%	94.62%	96.77%	99.28%



ADS-C Usage by Media Type



Fukuoka FIR - Count of ADS-C Reports - Jul 2014 to Jun 2020




ASP by Media Type



Fukuoka FIR - By Media Type - January to June 2020

ADS-C Actual Surveillance Performance (ASP)




ASP 95% (90s) values for each month



Fukuoka FIR - By Media Type - Jul 2014 to Jun 2020


ADS-C Actual Surveillance Performance 95% (90s)



ACP by Media Type




Fukuoka FIR - By Media Type - January to June 2020 CPDLC Actual Communication Performance (ACP)



ACTP by Media Type




Fukuoka FIR - By Media Type - January to June 2020 CPDLC Actual Communication Technical Performance (ACTP)



PORT by Media Type




Fukuoka FIR - By Media Type - January to June 2020 CPDLC Pilot Operational Response Time (PORT)





Observed Performance by Month



Observed Performance by Month



		RSP180				RCP	240		
Month	Count of	AS	Р	Count of	AC	TP	AC	СР	PORT
	ADS-C	95%	99.9%	CPDLC	95%	99.9%	95%	99.9%	95%
Jan	393,032	98.50%	99.54%	8,091	99.60%	99.72%	99.51%	99.78%	99.18%
Feb	322,275	98.58%	99.66%	6,535	99.65%	99.74%	99.59%	99.80%	99.36%
Mar	287,268	98.85%	99.70%	6,411	99.80%	99.86%	99.72%	99.84%	99.34%
Apr	172,629	98.79%	99.65%	3,345	99.61%	99.73%	99.55%	99.67%	99.31%
May	253,976	98.58%	99.69%	4,685	99.57%	99.74%	99.55%	99.79%	99.10%
Jun	253,018	98.49%	99.65%	5,480	99.62%	99.71%	99.51%	99.74%	99.25%




ASP by Month



Fukuoka FIR - By Month - January to June 2020

ADS-C Actual Surveillance Performance (ASP)




ACP by Month



Fukuoka FIR - By Month - January to June 2020


CPDLC Actual Communication Performance (ACP)



ACTP by Month



Fukuoka FIR - By Month - January to June 2020 CPDLC Actual Communication Technical Performance (ACTP)




PORT by Month




Fukuoka FIR - By Month - January to June 2020

CPDLC Pilot Operational Response Time (PORT)





Observed Performance by Station ID



Observed Performance by Station ID



		RSP180				RCP	240		
Station ID	Count of	AS	SP	Count of	AC	TP	AC	CP	PORT
	ADS-C	95%	99.90%	CPDLC	95%	99.90%	95%	99.90%	95%
MTS1	17,837	98.07%	99.25%	326	99.39%	99.39%	99.08%	99.39%	99.08%
XXP	125,070	98.25%	99.54%	3,065	99.67%	99.71%	99.45%	99.71%	98.76%
APK2	93,293	98.53%	99.57%	2,499	99.60%	99.64%	99.40%	99.80%	99.20%
XXA	400,937	98.82%	99.68%	9,257	99.77%	99.89%	99.82%	99.89%	99.52%
APK1	485,406	98.59%	99.71%	12,024	99.70%	99.77%	99.63%	99.83%	99.48%
IG1	106,007	97.09%	99.07%	2,500	99.00%	99.20%	98.68%	99.24%	98.04%
IGW1	36,439	97.94%	99.69%	799	99.87%	100.00%	99.75%	99.75%	99.00%
XXS	21	100.00%	100.00%	0	0.00%	0.00%	0.00%	0.00%	0.00%
XXQ	34,172	98.55%	99.65%	951	99.79%	99.79%	99.58%	99.89%	99.47%




ASP by Station ID




Fukuoka FIR - By Station Identifier - January to June 2020

ADS-C Actual Surveillance Performance (ASP)



ADS-C Usage by Station ID






ACP by Station ID



Fukuoka FIR - By Station Identifier - January to June 2020

CPDLC Actual Communication Performance (ACP)




ACTP by Station ID



Fukuoka FIR - By Station Identifier - January to June 2020


CPDLC Actual Communication Technical Performance (ACTP)



PORT by Station ID




Fukuoka FIR - By Station Identifier - January to June 2020 CPDLC Pilot Operational Response Time (PORT)





Observed Performance by Operator

Table only, Percentile graph not contained



Summary of Performance by Operator



- ◆ 65 operators with at least <u>100</u> ADS-C messages
 - ➤ 1 operator were below 95.0% at ACP95% criteria.
 - > 3 operators were below 99.0% at ASP99.9% criteria.
- ◆ 34 operators with at least <u>100</u> RCP transactions
 - ➤ All operator meets ACP95% criteria.
 - ➤ All operators were above 99.0% at ACP99.9% criteria.


	RSP	180	RCP240						
	AS	SP	AC	TP	AC	PORT			
	95%	99.9%	95%	99.9%	95%	99.9%	95%		
Meets Criteria	64	13	34	16	34	16	34		
Under criteria but above 99.0%		49		18		18			
Under criteria	1	3	0	0	0	0	0		

Operator Not Meeting RSP180/RCP240



		RSP ²	180			RCP240							
OP Code	Count of	% of Total	AS	P Count of		% of Total	AC	TP	AC	:P	PORT		
Code	ADS-C	ADS-C	95%	99.9%	CPDLC	CPDLC	95%	99.9%	95%	99.9%	95%		
GIA	7,950	0.47%	96.75%	98.45%	134	0.39%	99.25%	99.25%	98.51%	99.25%	98.51%		
RKS	1,398	0.08%	96.92%	98.57%	25	0.07%	96.00%	96.00%	96.00%	96.00%	100.00%		
TGW	216	0.01%	94.44%	100.00%	3	0.01%	100.00%	100.00%	100.00%	100.00%	100.00%		
EDG	186	0.01%	97.31%	98.39%	3	0.01%	100.00%	100.00%	100.00%	100.00%	33.33%		

*No-colored where under 100 data points.



Summary of Performance by Operator/AC-Type



- ◆ 177 operator/AC-type pairs with at least 100 ADS-C messages
 - 3 pairs not meet ASP95% criteria.
 - > 12 pairs were below 99.0% at ASP99.9% criteria.
- ◆ 74 operator/AC-type pairs with at least 100 RCP transactions
 - ➤ All operator meets ACP95% criteria.
 - > 2 pairs were below 99.0% at ACP99.9% criteria.

	RSP	180	RCP240						
	AS	SP	AC	TP	AC	PORT			
	95%	99.9%	95%	99.9%	95%	99.9%	95%		
Meets Criteria	174	50	74	45	74	47	74		
Under criteria but above 99.0%		115		27		25			
Under criteria	3	12	0	2	0	2	0		

Operator/AC-Type Not Meeting RSP180/RCP240




			RSF	P180					RCP240			
OP	Aircraft	c	% of	ASI	P	6	% of	AC.	ТР	AC	CP CP	PORT
Code	Туре	Count of ADS-C	Total ADS-C	95%	99.9%	Count of CPDLC	Total CPDLC	95%	99.9%	95%	99.9%	95%
СРА	B748	34,540	2.05%	98.09%	98.86%	785	2.27%	98.73%	99.24%	99.11%	99.24%	99.49%
СРА	B77W	29,731	1.77%	96.67%	98.71%	891	2.58%	98.43%	98.65%	97.98%	98.99%	98.54%
UPS	B744	13,937	0.83%	98.56%	99.86%	185	0.54%	99.46%	100.00%	98.92%	98.92%	98.38%
WGN	MD11	7,785	0.46%	97.75%	98.95%	96	0.28%	100.00%	100.00%	100.00%	100.00%	100.00%
SIA	B78X	6,145	0.37%	94.56%	99.87%	111	0.32%	98.20%	99.10%	99.10%	99.10%	97.30%
PAC	B763	4,695	0.28%	97.02%	98.96%	100	0.29%	100.00%	100.00%	100.00%	100.00%	97.00%
GIA	B77W	4,484	0.27%	95.45%	97.73%	94	0.27%	98.94%	98.94%	98.94%	98.94%	100.00%
PAL	A321	2,802	0.17%	85.65%	91.51%	41	0.12%	87.80%	95.12%	95.12%	97.56%	100.00%
ANA	B78X	1,868	0.11%	94.91%	99.84%	26	0.08%	100.00%	100.00%	100.00%	100.00%	100.00%
ACA	B788	1,739	0.10%	98.50%	98.91%	38	0.11%	100.00%	100.00%	100.00%	100.00%	100.00%
RKS	GLEX	793	0.05%	95.84%	98.36%	13	0.04%	92.31%	92.31%	92.31%	92.31%	100.00%
CLX	B744	689	0.04%	98.11%	98.40%	19	0.05%	100.00%	100.00%	100.00%	100.00%	100.00%
MAS	B738	499	0.03%	95.99%	98.80%	5	0.01%	100.00%	100.00%	100.00%	100.00%	100.00%
GIA	A339	272	0.02%	97.79%	98.53%	4	0.01%	100.00%	100.00%	100.00%	100.00%	100.00%
EDG	GLF5	186	0.01%	97.31%	98.39%	3	0.01%	100.00%	100.00%	100.00%	100.00%	33.33%

*No-colored where under 100 data points.

Legend: Meets criteria
Under criteria but above 99.0%
Under criteria




Specific issues: COVID-19 influence report



COVID-19



Amount of Traffic - CPDLC/ADS-C Fukuoka FIR - Jan 2015 to Jun 2020



Every year, the counts of ADS-C and CPDLC tend to reach the lower limit February and the upper limit July. In 2020, due to the influence of COVID-19 (Corona), the number of counts is suppressed to about half of anually.

COVID-19



①Aggregate and compare in semi-annual units (first half of 2019 / second half of 2019 / first half of 2020)

Term	Count of Aircrafts	Count of ADS-C	Count of CPDLC	Count of ADS-C> 600	OP CODE
				Count of aircraft	Count of OP CODE
first half of 2020	2,769	1,688,640	34,547	918	264
second half of 2019	3,073	2,668,737	54,855	1,191	394
first half of 2019	3,082	2,454,906	51,506	1,148	368

②Comparison by monthly total for the first half of 2020 (January-June 2020)

Term	Count of	Count of	Count of	Count of ADS-C >100	OP CODE
remi	Aircrafts	ADS-C	CPDLC	機体数	種別数
January 2020	1,830	393,945	8,084	1067	182
February 2020	1,644	323,611	6,535	920	148
March 2020	1,469	287,713	6,386	822	91
April 2020	1,099	173,303	3,345	589	80
May 2020	1,287	255,080	4,685	799	88
Jun 2020	1,244	254,988	5,512	780	84

COVID-19



- 1 The comparison results aggregated on a semi-annual basis are as follows.
 - Compared to the first half / second half of 2019 in the first half of 2020
 - OThe number of communications for both ADS-C and CPDLC has decreased by about 35%.
 - OThe number of airlines (OP CODE) using Fukuoka FIR has also decreased by about 30% (100 aircrafts).
 - OThe number of aircraft handled has decreased by about 10% (100 machines).
- 2 The monthly comparison results for the first half of 2020 are as follows.
 - OBoth ADS-C CPDLC decreaseing peaked in April and are on a recovery trend. (In the normal year, it peaks in February and tends to rise.)
 - OThe number of airlines (OP CODE) is large in February and March, and there is no recovery trend.
 - OThe number of aircraft shows the same tendency as ADS-C / CPDLC.

Summary of the report

- 1) The overall PBCS monitoring result at Fukuoka FIR has not changed significantly from the previous year. On the other hand, Data link traffic had been increasing for the last few years, however this year it has decreased significantly due to the impact of COVID-19 (Corona).
- 2) ASP deterioration of some specific airlines and some specific AC-type has been observed. NPAC is doing performance assessment as monthly, if there is a significant data changing, Network Performance Assessment Center(NPAC) will report it via CRA.
- 3) We examined the aircraft that showed performance deterioration, there were several aircraft that were not equipped with "P2 (CPDLC RCP240)".
- 4) Due to data volume decreasing for decrease in traffic, there is a tendency for ASP to deteriorate on a monthly basis, but most of them satisfy the ASP performance in the semi-annual total.
- 5) It seems that performance degradation aircraft with "P2 (CPDLC RCP240)" equipped with "J7 (CPDLC FANS 1 / A SATCOM (Iridium))" has been influenced by a media transition to VHF / HF. However, there are some aircraft that satisfy the performance even under the same conditions (same OP CODE / same model).

Any Questions?



Thank you!



Technical Management Center



Network Performance Assessment Center



Air Traffic Management Center

Reference information



- 1 Satellite ID List
- 2 Inmarsat GES ID & Inmarsat Coverage

2Satellite ID List



Satellite	GES Location	Region	SITA	ARINC
	Burum, Netherlands	AORE	AOE6	XXN
	Laurentides, Canada	AORW	AME2	XXW
Inmarsat I-3	Burum, Netherlands	IOR	EUA2	XXI
	Fucino, Italy	IOK	EUAZ	//I
	Perth, Australia	POR	APK2	XXP
	Fucino, Italy	EMEA	EUA1	XXF
	Burum, Netherlands	EMEA (SBB)	EME9	XXB
Inmarsat I-4		AMER	AME1	XXH
IIIIIarsat 1-4	Doumalu Hawaii	AMER (SBB)	AMR9	XXU
	Paumalu, Hawaii	APAC	APK1	XXA
		APAC (SBB)	PAC9	XXS
Iridium	Phoenix, Arizona	Global	IGW1	IG1
MTSAT	Kobe and Hitachi-ota	Japan	MTS1	-

¹⁾The gray line shows the GSID that has not been used in Fukuoka FIR.

²⁾XXA was operated as XXQ (Perth, Australia) from 17th Jun to 24th Aug.)MTSAT has ended service on 31st Jan.

2Inmarsat GES ID & Inmarsat Coverage



